





CONFIDENTIAL









敏锐把握应用趋势 • 快捷满足客户需求



Benbu_MX200-1

Status Summary

00061	Serial Number	072390
d	Status	Up
9m:52s	Admin Status	Enable
	Uptime	1d:22h

	Up	Down	Disabled	Unknown
AP	206	11	0	0
Radios	412	22	0	0

Details

“ ”




The screenshot shows a network management interface with a table of ports. The table has columns for port ID, status, and various configuration parameters. The status column uses color coding: green for 'Up' and red for 'Down'. The 'Access Points' and 'Cluster Active Seed' fields are highlighted in yellow.


Port ID	Status	Enabled	None	None	None	10/100 Ether...
P05	Up	Enabled	None	None	None	10/100 Ether...
P06	Down	Enabled	None	None	None	10/100 Ether...
P07	Up	Enabled	100	Full	None	10/100 Ether...
P08	Down	Enabled	None	None	None	10/100 Ether...







u

u







Clients by Time - 24 Hours

14:45:39 Jul 29 '09 Last update: 12:30:00 Jul 29 '09

Active Clients		
Average	High	Low
9	14	0
14	15	0
15	16	0
16	17	0
17	18	0
18	19	0
19	20	0
20	21	0
21	22	0
22	23	0
23	24	0
24	25	0
25	26	0
26	27	0
27	28	0
28	29	0
29	30	0
30	31	0
31	32	0
32	33	0
33	34	0
34	35	0
35	36	0
36	37	0
37	38	0
38	39	0
39	40	0
40	41	0
41	42	0
42	43	0
43	44	0
44	45	0
45	46	0
46	47	0
47	48	0
48	49	0
49	50	0
50	51	0
51	52	0
52	53	0
53	54	0
54	55	0
55	56	0
56	57	0
57	58	0
58	59	0
59	60	0
60	61	0
61	62	0
62	63	0
63	64	0
64	65	0
65	66	0
66	67	0
67	68	0
68	69	0
69	70	0
70	71	0
71	72	0
72	73	0
73	74	0
74	75	0
75	76	0
76	77	0
77	78	0
78	79	0
79	80	0
80	81	0
81	82	0
82	83	0
83	84	0
84	85	0
85	86	0
86	87	0
87	88	0
88	89	0
89	90	0
90	91	0
91	92	0
92	93	0
93	94	0
94	95	0
95	96	0
96	97	0
97	98	0
98	99	0
99	100	0

24 Hours

