



MX-200R

©2008





-
-
-




Arial

```
[ ]      [ ]  
  
{ x | y | ... }  
  
[ x | y | ... ]  
  
//
```


1.



2.



3.



Enter a

a

“ → ”

→

1+ 2
“ Alt ” “ A ”

Ctrl+Alt+A “ Ctrl ”

1 2 Alt F Alt
F


1		2
1.1		2
1.2	MX-200R	2
1.3		3
1.4		3
1.5		4
2		7
2.1	Θ	7
2.2		7

1.3

MX-200R


- 4 MX-200R
-
- 3 console

1.4



MX-200R 2 1000M SFP 1 100M Mgmt AP

LED



MX-200R

LED

LED		
Mgmt	Â	MX
		MX
		MX a
		MX
	a	Θ
		1000M
		1000M

1.5

	1U
	442 mm × 307 mm × 43 mm [^] × × ~
	4.5kg [^] ~ 5kg [^] ~
	2 SFP 1 4 1 ^ RJ-45~
	' 0 ° 50 ° ' -20 ° 70 ° ' 10 90 ^ ~
	100 240VAC 50 60Hz' ~ 50W

	VCCI EN 55022, EN 55024
6 AAA	• RFC 2246 - Transport Layer Security (TLS) • RFC 2284 EAP • RFC 235 PKCS #7: Cryptographic Message Syntax Ver .5 • RFC 2548 Microsoft RADIUS VSAs • RFC 276 PPP EAPTLS Authentication Protocol • RFC 2759 Microsoft PPP CHAP Extensions, Version 2 • RFC 2865 RADIUS Authentication • RFC 2866 RADIUS Accounting • RFC 2869 RADIUS Extensions • RFC 2986 PKCS # 0: Certification Request Syntax Ver .7 • RFC 3580 IEEE 802. x RADIUS Guidelines
IEEE	• 802.1x • 802.3i 10BASE-T • 802.3u 100BASE-T • 802.3ab 1000BASE-TX Gigabit Ethernet • 802.3z 1000BASE-TX Gigabit Ethernet • 802.3af • 802.11a/b/g, 802.11d, 802.11e, 802.11h, 802.11i
	• RFC 1122 Host requirements • RFC 1393 Traceroute • RFC 1519 CIDR • RFC 1591 DNS • RFC 2030 SNTP • RFC 768 UDP • RFC 783 TFTP • RFC 791 IP • RFC 792 ICMP • RFC 793 TCP • RFC 826 ARP • IEEE 802.1D Spanning Tree • IEEE 802.1Q VLAN tagging • IEEE 802.3ad (static config)
6	• RFC 854 Telnet (server and client) • SSHv2 - Secure Shell V2 • SNMP v1/ v2c/ v3 • RFC 1213 MIB-II • RFC 1866 HTML

	• RFC 2068 HTTP • RFC 3164 Syslog • private MIB • IETF CAPWAP
IP	• RFC 1112 IGMP v1 • RFC 2236 IGMP v2
^ QoS~	• 802.1p QoS on Ethernet • 802.11e, Wi-Fi Multimedia (WMM) • SpectraLink Voice Priority (SVP) • RFC 2472 DiffServ precedence • RFC 2597 DiffServ Assured Forwarding • RFC 2598 DiffServ Expedited Forwarding

