

admin

admin

```
11/23/12 <S>system <D>device
RG-IDP 2000S (c) 2012 Ruijie Corp.
Kernel: RJ_3.0.00_RC09_00062 2012/11/20
Signature: S.3_1204091_RELS_00170; RBL: R.3_1204091_RELS_00170
Running 0 days 18 hours 30 mins; 2 user(s) logged on
CPU Util.: 0%; Throughput: 5 Mops; TCP connections: 0
Memory: 2,898,836 KB free, total 8,388,608 KB
CF card space: 430.80 MB free, total 469.53 MB
IP: 10.168.10.106; Netmask: 255.255.255.0
IPv6: ::192.168.168.221; Netmaskv6: 32
Gateway: 10.168.10.1
HA: 192.168.168.222; DNS: 192.168.168.22
RG-IDP Server: 10.168.10.109
TCP idle time limit: 1800 seconds
Maximum 5000 logs in 5 seconds
Connection number is counted by established connections.
<S>System <D>Device <H>Help <Esc>Exit 09:21
```



```
11/23/12 <S>system <D>device
RG-IDP 2000S (c) 2012 Ruijie Corp. *****
Kernel: RJ_3.0.00_RC09_00062 2012/11/20
Signature: S.3_1204091_RELS_00170; RBL: R.3_1204091_RELS_00170

Running 0 days 18 hours 30 mins; 2 user(s) logged on

CPU Util.: 0%; Throughput: 5 Mbps; TCP connections: 0
Memory: 2,898,836 KB free, total 8,388,608 KB
CF card space: 430.80 MB free, total 469.53 MB

IP: 10.168.10.106; Netmask: 255.255.255.0
IPv6: ::192.168.168.221; Netmaskv6: 32
Gateway: 10.168.10.1
HA: 192.168.168.222; DNS: 192.168.168.22
RG-IDP Server: 10.168.10.109
TCP idle time limit: 1800 seconds
Maximum 5000 logs in 5 seconds
Connection number is counted by established connections.

<S>System <D>Device <H>Help <Esc>Exit 09:21
```

DOI: 10.1002/anie.201500000

100% 80% 60% 40% 20% 0%

Original Password:


```
<S>ystem <D>evice
```

```
Device netmask: 255.255.255.0
```


```
Device IPv6 netmask: 32
```

```
<S>system <D>evice
```

```
Device gateway: 10.168.10.1
```

```
<S>ytem <D>evice
```

```
TCP Timeout (20 ~ 86400): 1800
```


```
<S>ysem <D>evice
```

```
Target IP: 10.168.10.1
```