



RG-Rain200C

User's Manual

©533305346

л ° w ¯ А м W ,

л °

ǎ

W

ǎ

ǎ

ль'н "l

в

ž

ǎ

ј

м

ј

8

нь

Аль в м l ǎ

ль

м

U Y , Ъ ђ Ј ѣ Ы æ Ψ τ Њ æ
j ω 7 ω е ω %
W æ κ ω ò́ ω

Н	у	1
И.		î
Р		î
Э		õ
О		õ
А		ñ
В		ò
П		ò
К		ó
М		ó
Р		ø
Б		ô
44	44	õ
В		10
Б		1í
О		1í
В		1í
Б		1ï
В		1ñ
Б		16

UJ0Udlq533C

:

DUP Fr rwh{0<

P d0l0733 JSX

Y

j

ž

ó`

ǎ 43;3 S

ķ

ʝ ġ

z

Y ĩ

ž

UJ0Udlq533C

U

'

n

њ

ž

'

т

n

ġ

ʝ ž

W

κ

τ ε

ķ 4 Ā



RG-RCD 7

RG-Rai



т

ķ 1 UJ0Udlq533C ε


ķ

4 UJ0Udlq533C

	α		H
4		4	K
5	h í + ,	4	
6		4	
7		4	
8	W	4	
9	W	4	

2 RG-Rain200C

	RG-Rain200C
	户端

An abstract graphic design featuring a white background with several dark gray and black geometric elements. A thick, dark gray vertical line runs down the left side. A horizontal dark gray line crosses the middle. A large, dark gray, irregular shape is positioned in the upper right. A thin, dark gray diagonal line extends from the bottom left towards the center. A light gray rectangular area is located in the upper left, containing the text 'CPU'. The Chinese characters '人处理' are placed near the top right of the large dark gray shape.

CPU

人处理

- Power ȳ χ̃ ȳ Ä ǎ ȳ H ȳ İ Ä † Õ
ψ
- USB İ Æ χ XVE42XVE52XVE62XVE4 İ İ USB † İ ȳ %
U` ȳ ψ
- d ȳ χ İ d İ ȳ X ȳ İ İ ψ
- ǎ , χ İ ǎ ǎ ȳ ȳ , İ İ ψ
- Õ ȳ ȳ χ 住此小孔中的按键，同时按下Power

UJ0Udlq533C

ž

%

g

ŹA

j

ψ

Ō

z

UJ0Udlq533C

æ

43f p

%

ï

æ

z

ǎ

ï

ү

Ō

ž

%

à λ

ń

à

à

ǎ

UJ0Udlq533C

ń λ

à

ψ

à 3°F

73°F

à 043°F

83°F

à 43%

<3%

à 8%

<8% ζ

ль

7;

Ẋ

ль

48^θ η

Ō

ᵇ

ń

ᵇ

ï

ʝ

ǎ

ль

т

ń

à

н

ǎ

ǎ

UJ0Udlq533C

ń

ᵇ

ᵇ

≠

λ

3 ε

ε	$\tilde{e}$ $\tilde{\varepsilon}$
$\hbar$ ε	ε

$\ddot{\imath}$ ε

RG-Rain200C

τ ε

1. $\bar{g}$ ' RG-Rain200C

2. $\bar{g}$ $\mathcal{J}$

3. RG-Rain200C $\bar{g}$ $\mathcal{H}$ power $\mathcal{A}$

- $\bar{g}$ ψ
1. $P^{\cdot}$ $\mathfrak{W}$ ω
2. $k_j \tilde{A}$ $\mathfrak{h} \mathfrak{f}$

- ψ
- 1.
2. 开 "l $\mathfrak{h} \mathfrak{f}$

No

ψ

ī

7

No

ψ

ī

æ

100-240VAC 50/60HZ

í ī


No i ψ

ώ æ

j

Power

ǎ



-3.5° 15°

ž ò

ã æ ƣ ǎ

Ң

ƣ

ḡ

ò

l

л °

и

j

ḡ

VM2W44697053470

ò

ḡ

ǎ

ǎ

Y ǎ

ò

л ° m

ль

”l

ќ ъ н ”l

n4 iH à Ì D} Ä Ò Å m O Ù Áª ¢ n

B ^ d f	Ä Ò Å					
	g ð h	? Ä g . M h	e Š g) J h	¹ _ e > g) X g < / h h	Ú À ù 5 g 6 B (h	Ú À ì 8 5 b g 6 B * + h
Ù Ó	Q	Q	Q	Q	Q	Q
@ à ^{3 a} P I o ,	x	Q	Q	Q	Q	Q
è á Á ^ -	x	Q	Q	Q	Q	Q
> F ~	x	Q	Q	Q	Q	Q
> ċ N ċ	x	Q	Q	Q	Q	Q
` ä O ~	x	Q	Q	Q	Q	Q

Î n % G 9 0 : • Ú ò ož
 Q y n P ¢ Ä Ò Å ¨ ¢ B ^ ñ Ä ® Å Õ % m O ® ¨ GB : 26572
 • ' O } L Y ož
 ~ y n P ¢ Ä Ò Å 5 ¨ ¢ B ^ î %² ® Å Õ % m O Ý ß
 GB : 26572 • ' O } L ož
 h y
 1 Î nª P i H à Ì Ä ' , [^ • î ° Z D } U m ? Ò
 Å k ? Ä Ò Å B ^ æ ¶ ñ Ð G J J u ' ò ò — c è
 Ä Ò Å Á W k x ? ' î U š 5 Ð G J ò • ¾ • ož
 2 ÿ G ° Z c U ¶ m Ä Y ñ Ä B ^ k ¬ Y Ž Æ 1 Ñ ° Ő ož
 3 Î n B ^ # † K Ó ĭ K i H à Ì Ä ' , [ož

ž

ę

льw

ℓ

*

Ġ g,

ă

τ

ę

ε

g,

ј

л °

”H

υ

733;04440333

kwws=22 z z z1rxlmh1f r p1fq



D}ü g ö Õ y 7 0 2 * @