




RG-NBS5750-E



V1.12

2022-01-10

copyright © 2022



copyright © 2022



-
-
-

-

<https://www.ruijiery.com/>

-

<https://ocs.ruijie.com.cn/?p=smb>

-

<https://www.ruijie.com.cn/service.aspx>

- 7

4001-000-078

-

<http://bbs.ruijiery.com/>

-

<https://www.ruijie.com.cn/service/know.aspx>

-

4001000078@ruijie.com.cn

-



1.




2.

1

■ RG-NBS5750-E

	10/100/1000Base-T	1000Base-X SFP	Console	SFP+	MGMT	USB	MiniUSB	
RG-NBS5750-28GT4XS-E	28	4(Combo)	1	4	1	1	1	

 1000Base-T 100Base-TX 10Base-T

 Combo 1000Base-X SFP 10/100/1000Base-T

 SFP+ 10Gbase-R 1000base-X


RG-NBS5750-28GT4XS-E

■ MGMT 10/100/1000M RJ45
 DCMI Data Center Manageability Interface

■ USB Universal Serial BUS USB

■ Console RS-232 RJ45


■ MiniUSB PC F MiniUSB

 RG-NBS5750-28GT4XS-E Console MiniUSB
 Console MiniUSB

 RG-NBS5750-E A

1.1 RG-NBS5750-28GT4XS-E

	RG-NBS5750-28GT4XS-E
CPU	1.0G
BOOTROM	8MB
Flash Memory	512MB
SDRAM	1GB

	B
	
	<ul style="list-style-type: none"> ■ 2 ■ RG-PA70I <p style="margin-left: 40px;">AC</p> <p style="margin-left: 80px;">100-240V~ 90-264V~ 50-60Hz</p> <p style="margin-left: 80px;">2A</p> <p style="margin-left: 40px;">HVDC</p> <p style="margin-left: 80px;">240VDC 192-288VDC 2A</p>
SFP	1000Base-X 100Base-X
SFP Plus	10GBase-R 1000Base-X
	<45W
	0°C ~ 50°C
	-40°C ~ 70°C
	10% ~ 90% RH
	0~5000m
	5% ~ 95% RH
EMI	GB9254-2008CLASS A
	GB4943-2011
x x mm	440×280×44
kg	3.9kg


RG-NBS5750-28GT4XS-E

4 SFP Plus 1
Console


28 10/100/1000Base-T
MGMT 1 USB 1 MiniUSB
Miniusb 1 Console

4 Combo SFP
Console MiniUSB
2

1-1 RG-NBS5750-28GT4XS-E



1-2 RG-NBS5750-28GT4XS-E



1		7	
2	(PWR1)	8	USB
3	(PWR2)	9	MiniUSB
4	MGMT	10	MGMT
5	Console	11	SFP
6	10/100/1000Base-T	12	SFP+

1-3 RG-NBS5750-28GT4XS-E

RG-NBS5750-E



1		2	1
3	2		

RG-NBS5750-28GT4XS-E

1.2

1 2 1 2




1

RG-NBS5750-28GT4XS-E

10cm

1-4



	Status	3HZ	3HZ
		10HZ	
		1 2	
			5.2
	PWR1/PWR2		
			AC
MGMT	MGMT		Link
			1000M Link Up
			1000M
			100/10M Link Up
			100/10M
SFP+	29F-32F		Link
			10G/1G Link Up
			10G/1G
SFP	25F-28F		Link
			1000M Link Up
			1000M
			100M Link Up
			100M
10/100/1000Base-T	1-28		Link
			1000M Link Up
			1000M
			100/10M Link Up
			100/10M

1.2

RG-NBS5750-28GT4XS-E
12V

RG-PA70I

RG-PA70I
70W

HVDC

 RG-NBS5750-28GT4XS-E

RG-PA70I



1

2

2

2



RG-PA70I


	RG-PA70I
	RG-NBS5750-28GT4XS-E
	AC 100Vac~240Vac;50/60Hz HVDC 240VDC
	AC 90Vac~264Vac; 47/63Hz HVDC 192VDC-288VDC
	2A MAX
	12V
	5.83A
	70W
	1.75mA
X X	156mm*50.5mm*38mm
kg	0.395kg
	-10 ~+50
	-40 ~+70
	10%~90%
	5%~95%
	0~5000m

RG-PA70I

I2C	I2C
	1+1
	1+1

RG-PA70I

	DC OK	RG-PA70I
		RG-PA70I



2.1.4

- PE
-
-

2.1.5

RG-NBS5750-E

I

-
-



2.2

2.2.1

RG-NBS5750-E

10cm

3

2.2.2

-
-
-

0°C-50°C	10%-90%



1.5m

0.4m

2.2.3

0.5 m	/ m ³	3.5 10 ⁶
5 m	/ m ³	3 10 ⁴

	(mg/m ³)	(mg/m ³)
SO ₂	0.3	1.0
H ₂ S	0.1	0.5
NO ₂	0.5	1.0
Cl ₂	0.1	0.3



30

2.2.4

-
-
-
-

TN

PE

2.2.5


RG-NBS5750-E



	0.75	18AWG		
3			0.75	18AWG

1Ω RG-NBS5750-E 1 2-1

2-1RG-NBS5750-E



2.2.6

RG-NBS5750-E



2.2.7 EMI

EMI

-
-
-
-

2.3


3



" "



3.1



3.2

-
-
-
-

3.3 RG-NBS5750-E

-


-
- RG-NBS5750-E
- 10
- RG-NBS5750-E
-

3.3.1

RG-NBS5750-E EIA 19

3-1

3-1




3-2


M6

3-3

3-2




3-3



3.3.2


RG-NBS5750-E

3-4



3-5

3-5



3.3.3

19

4

3-6

3-6



3-7

3-7




3.4

RG-PA70I

1)

2)

3-8




RG-PA70I

1)

2)

3-9



 RG-PA70I



3.5

-

-

-

1Ω

⚡

1

⚡

⚡

⚡

⚡

2.5

12AWG

3.6

-

-

1)

RJ45

2)

,

3)

RJ45

3.7

-

-

-

1)

2)

3)

3.8



-
-
-
-

10

4

4.1

PC Console 4-1
4-1




- DB-9 PC
- RJ-45 Console

- PC PC Windows3.1 Terminal Windows 95/98/NT/2000/XP

- 9600 8 1

1) - - - - 4-2

4-2



2)

4-3

4-3




3)

< >

4-4

4-4




4.2

-
-
-
- PC console

-
-
-
-
-

5

5.1



5.2

status		
Status		

RJ45	100	

A


1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T

MDI/MDIX Crossover

1000BASE-T	IEEE 802.3ab		100-ohm 5	5	UTP	STP
	STP	100				
1000BASE-T	4		4	1000BASE-T		A-1

A-1 1000BASE-T



100BASE-TX/10BASE-T

10Mbps 100-ohm 3 4 5
100BASE-TX/10BASE-T

100Mbps

A-2

A-2 100BASE-TX/10BASE-T

Pin		
1	Input Receive Data+	Output Transmit Data+
2	Input Receive Data-	Output Transmit Data-
3	Output Transmit Data+	Input Receive Data+
6	Output Transmit Data-	Input Receive Data-
4 5 7 8	Not Used	Not Used

100BASE-TX/10BASE-T


A-3

A-3 100BASE-TX/10BASE-T



A-4

A 4



B — Mini-GBIC SFP+

		SFP	Mini-GBIC	SFP+	
		SFP			SFP
Mini-GBIC-GT		SFP	SFP+		
()					

B-1 Mini-GBIC SFP

	(nm)	DDM (Yes/No)	(dBm)		(dBm)	
			min	max	min	max
MINI-GBIC-SX-MM850	850	No	-9.5	-3	-17	0
MINI-GBIC-LX-SM1310	1310	No	-9.5	-3	-20	-3
GE-SFP-SX	850	No	-9.5	-3	-17	0
GE-SFP-LX	1310	No	-9.5	-3	-20	-3
GE-SFP-SX-SM1550-BIDI	1550TX/13 10RX	No	-10	-5	-17	-3
GE-SFP-SX-SM1310-BIDI	1310TX/15 50RX	No	-10	-5	-17	-3
GE-eSFP-SX-MM850	850	Yes	-9.5	-3	-17	0
GE-eSFP-LX-SM1310	1310	Yes	-9.5	-3	-20	-3
GE-SFP-LX-SM1310	1310	No	-9.5	-3	-20	-3
GE-SFP-LX20-SM1310-BIDI	1310TX/15 50RX	Yes	-9	-3	-20	-3
GE-SFP-LX20-SM1550-BIDI	1550TX/13 10RX	Yes	-9	-3	-20	-3
GE-SFP-LH40-SM1310-BIDI	1310TX/15 50RX	Yes	-5	0	-24	-1
GE-SFP-LH40-SM1550-BIDI	1550TX/13 10RX	Yes	-5	0	-24	-1
MINI-GBIC-LH40-SM1310	1310	Yes	-2	3	-22	-3
MINI-GBIC-ZX50-SM1550	1550	Yes	-5	0	-22	-3
MINI-GBIC-ZX80-SM1550	1550	Yes	0	4.7	-22	-3
MINI-GBIC-ZX100-SM1550	1550	Yes	0	5	-30	-9

B-2 SFP

	1000Base-T SFP	DDM(Yes/No)
1000Base-T	Mini-GBIC-GT	No

B-3 SFP

SFP			(um)	
MINI-GBIC-SX-MM850	LC		62.5/125	275m
			50/125	550m
MINI-GBIC-LX-SM1310	LC		9/125	10km
GE-eSFP-SX-MM850	LC		62.5/125	275m
			50/125	550m
GE-eSFP-LX-SM1310	LC		9/125	10km
GE-SFP-LX-SM1310	LC		9/125	10km
MINI-GBIC-LH40-SM1310	LC		9/125	40km
GE-SFP-SX-SM1310-BIDI	LC		50/125	500m
GE-SFP-SX-SM1550-BIDI	LC		50/125	500m
GE-SFP-LX20-SM1310-BIDI	LC		9/125	20km
GE-SFP-LX20-SM1550-BIDI	LC		9/125	20km
GE-SFP-LH40-SM1310-BIDI	LC		9/125	40km
GE-SFP-LH40-SM1550-BIDI	LC		9/125	40km
MINI-GBIC-ZX50-SM1550	LC		9/125	50km
MINI-GBIC-ZX80-SM1550	LC		9/125	80km
MINI-GBIC-ZX100-SM1550	LC		9/125	100km
SDH155-SFP-SX-MM850	LC		62.5/125	500m
SDH155-SFP-SX-MM1310	LC		62.5/125	2km
SDH155-SFP-LH15-SM1310	LC		9/125	15km
SDH155-SFP-LH40-SM1310	LC		9/125	40km
SDH155-SFP-LH80-SM1310	LC		9/125	80km
GE-SFP-SX	LC		62.5/125	275m
			50/125	550m
GE-SFP-LX	LC		9/125	10km
Mini-GBIC-GT	RJ45	5		100m



40

40



B-5 SFP+

	(nm)	DDM (Yes/No)	dbm		dbm	
XG-SFP-SR-MM850	850	Yes	-5	-1	-7.5	0.5
XG-SFP-SR-SM1270-BIDI	1270	No	-3	4	-9	0.5
XG-SFP-SR-SM1330-BIDI	1270	No	-3	4	-9	0.5

XG-SFP-LR-SM1270-BIDI	1270	No		-6.5	0.5	-14.4	0.5
XG-SFP-LR-SM1330-BIDI	1330	No		-6.5	0.5	-14.4	0.5
XG-SFP-LR-SM1310	1310	Yes		-8.2	0.5	-14.4	0.5
XG-SFP-ER-SM1550	1550	Yes		-4.7	4	-11.3	-1
XG-SFP-ZR-SM1550	1550	Yes		0	4	-24	-7
XS-SFP-SR	850	Yes		-5	-1	-7.5	0.5
XS-SFP-LR	1310	Yes		-8.2	0.5	-10.3	0.5

B-6 SFP+

			(um)	(MHz km)	
XG-SFP-SR-MM850	LC		62.5 /125	200(OM1) 160	33m 26m
			50/125	2000(OM3) 500(OM2) 400(OM1)	300m 82m 66m
XG-SFP-SR-SM1270-BIDI	LC		50/125	2000(OM3)	300m
XG-SFP-SR-SM1330-BIDI	LC		50/125	2000(OM3)	300m
XG-SFP-LR-SM1270-BIDI	LC		9/125	N/A	10km
XG-SFP-LR-SM1330-BIDI	LC		9/125	N/A	10km
XG-SFP-LR-SM1310	LC		9/125	N/A	10km
XG-SFP-ER-SM1550	LC		9/125	N/A	40km
XG-SFP-ZR-SM1550	LC		9/125	N/A	80km
XS-SFP-SR	LC		62.5 /125	200(OM1) 160	33m 26m
			50/125	2000(OM3) 500(OM2) 400(OM1)	300m 82m 66m
XS-SFP-LR	LC		9/125	N/A	10km



XG-SFP-ER-SM1550 XG-SFP-ZR-SM1550

-1dBm

-1dBm



B-7 SFP+

			(M)	(AWG)	(Gb/s)	DDM (Yes/No)
XG-SFP-CU1M		SFP+	1	28	10.3125	No
XG-SFP-CU3M		SFP+	3	28	10.3125	No
XG-SFP-CU5M		SFP+	5	26	10.3125	No

XG-SFP-AOC1M		SFP+	1	\	10.3125	No
XG-SFP-AOC3M		SFP+	3	\	10.3125	No
XG-SFP-AOC5M		SFP+	5	\	10.3125	No

 SFP+

B-8BIDI


/	
/500m	GE-SFP-SX-SM1310-BIDI GE-SFP-SX-SM1550-BIDI
/20km	GE-SFP-LX20-SM1310-BIDI GE-SFP-LX20-SM1550-BIDI
/40km	GE-SFP-LH40-SM1310-BIDI GE-SFP-LH40-SM1550-BIDI
/300m	XG-SFP-SR-SM1270-BIDI XG-SFP-SR-SM1330-BIDI
/10km	XG-SFP-LR-SM1270-BIDI XG-SFP-LR-SM1330-BIDI

 BIDI
GE-SFP-LX20-SM1550-BIDI

GE-SFP-LX20-SM1310-BIDI

C —

C-1



-
-
-

PE

PE

PE

1)

2)

3)


4)

OUT

IN

5)

C-2



10/100M

RJ-45



“IN”

“OUT”




D —

RG-NBS5750-E

19

■			5
	7		
■		7	10
■	SFP+	5	10
■		25	
■	20		
■	10		
■			
■			D-1
D-1			




-
-
-
-
-

30mm

D-2


D-2



-

D-3

D-3



-
-
-
-

D-4

D-4



-

-
-
-

mm	mm
10	80~150
10~30	150~200
30	200~300

-
-

E —

