

# RG-MF2920U

MF2920U\_1.0(1)B2 WEB

copyright © 2022



- 
- 
- 

- <http://www.ruijie.com.cn>
- <http://www.ruijie.com.cn/fw/>
- 7\*24h <http://ocs.ruijie.com.cn>
- 7\*24h 4008-111-000
- -- <http://www.ruijie.com.cn/special/fw/tool/xryf/>
- 4008111000@ruijie.com.cn


APP

1.

<>		< >
[]		" " [ ]
>>		[ ]>>[ ]
" "		"


2.

---




---

---




---

---



/

3.

# 1 WEB

## 1.1



## 1.2

<a href="#">WEB</a>	WEB


### 1.2.1 WEB




- (1) WEB PC
- (2) Google chrome 360 qq edge  
WEB
- (3) 1600\*900 1920\*1080

## 1.3 WEB

### 1.3.1









3. POE /ARP

MAC地址	端口	端口	POE开关设置	供电状态	供电功率	IP地址
0000.1822.3369	GI0/2	GI0/1	开启	关闭	0	172.29.15.1
		GI0/2	开启	关闭	0	
		GI0/3	开启	关闭	0	
		GI0/4	开启	关闭	0	
		GI0/5	开启	关闭	0	
		共 9 条				共 1 条

● POE

[POE ] < > POE  
 POE POE POE

● ARP


[ARP ] < > ARP



1.3.4

1.


(1)

a







b



< >

< >





C

< >

Voice VLAN

### 1.3.5

1.

(1) Ping


[Ping]

IP

<

>

(2)



\_20220118182247.txt

2.

(1)

< > 1





(2)

i

!

- 
- 2~3



### (3) Boot



### Boot







< >

(2)



- 2-3
- < > config.json

- < >
- < > config.json

**1.3.6**

1.

(1)

[



## 2 CLI


  
CLI

### 2.1

" Ruijie(diag)>"

WEB

CLI



exit

### 2.2

CLI

reboot

```
Ruijie(diag)#reboot
BootVersion: ROBO OS 2.0.9
Build:wed Dec 22 11:27:42 2021
Root loader: 05BT-flash-Medg1-winhond-size: 1.28 Mbit
[Progress bars and status indicators follow]
```

### 2.3

show\_sys\_info

**2-1 show\_sys\_info**

System description	

## 2.6 Ping

ping

**ping** *ip address*